

1. Hoshino, F., Murakami, C., Sakai, H., Satoh, M., Sakane, F., Creatine kinase muscle type specifically interacts with saturated fatty acid- and/or monounsaturated fatty acid-containing phosphatidic acids. *Biochem. Biophys. Res. Commun.*, 513, 1035-1040, 2019.
2. Iwata, K., Sakai, H., Takahashi, D., Sakane, F., Myristic acid specifically stabilizes diacylglycerol kinase δ protein in C2C12 skeletal muscle cells., *Biochim. Biophys. Acta - Mol. Cell. Biol. Lipids.*, 1864, 1031-1038, 2019.
3. Maeda, Y., Shibata, K., Akiyama, R., Murakami, Y., Takao, S., Murakami, C., Takahashi, D., Sakai, H., Sakane, F., Diacylglycerol kinase β induces filopodium formation via its C1, catalytic and carboxy-terminal domains and interacts with the Rac1-GTPase-activating protein, β2-chimaerin., *Biochem. Biophys. Res. Commun.*, 504, 54-60, 2018.
4. Sakai, H. (corresponding), Murakami, C., Matsumoto, K., Urano, T., Sakane, F., Diacylglycerol kinase δ controls down-regulation of cyclin D1 for C2C12 myogenic differentiation., *Biochimie.*, 151, 45-53, 2018.
5. Sakane, F., Mizuno, S., Takahashi, D., Sakai, H., Where do substrates of diacylglycerol kinases come from? Diacylglycerol kinases utilize diacylglycerol species supplied from phosphatidylinositol turnover-independent pathways., *Adv. Biol. Regul.*, 67, 101–108, 2017. (総説)
6. Sakai, H. (corresponding), Yokota, S., Kajitani, N., Yoneyama, T., Kawakami, K., Yasui, Y., Matsumoto, K., A potential contribution of tenascin-X to blood vessel formation in peripheral nerves. *Neurosci. Res.*, 30249-30253, 2017.
7. Kamiya, Y., Mizuno, S., Komenoi, S., Sakai, H., and Sakane, F., Activation of conventional and novel protein kinase C isozymes by different diacylglycerol molecular species., *Biochem. Biophys. Rep.*, 7, 361-366, 2016.
8. Usuki, T., Takato, T., Lu, Q., Sakai, H., Bando, K., Kiyonari, H., and Sakane F., Behavioral and pharmacological phenotypes of brain-specific diacylglycerol kinase δ-knockout mice., *Brain Res.*, 1648 (Pt A), 193-201, 2016.
9. Sato, Y., Murakami, C., Yamaki, A., Mizuno, S., Sakai, H., and Sakane, F., Distinct 1-monoacylglycerol and 2-monoacylglycerol kinase activities of diacylglycerol kinase isozymes., *Biochim. Biophys. Acta. - Proteins Proteomics*, 1864, 1170-1176, 2016.
10. Wada, Y., Sakiyama, S., Sakai, H., and Sakane, F., Myristic Acid Enhances Diacylglycerol Kinase δ-Dependent Glucose Uptake in Myotubes., *Lipids*, 51, 897-903, 2016.
11. Isozaki, T., Komenoi, S., Lu, Q., Usuki, T., Tomokata, S., Matsutomo, D., Sakai, H., Bando, K., Kiyonari, H., and Sakane, F., Deficiency of diacylglycerol kinase η induces lithium-sensitive mania-like behavior., *J. Neurochem.*, 138, 448-456, 2016.
12. Kume, A., Kawase, K., Komenoi, S., Usuki, T., Takeshita, E., Sakai, H., and Sakane, F., The pleckstrin homology domain of diacylglycerol kinase η strongly and selectively binds to phosphatidylinositol 4,5-bisphosphate., *J. Biol. Chem.*, 291, 8150-8161, 2016.
13. Liu, K., Kunii, N., Sakuma, M., Yamaki, A., Mizuno, S., Sato, M., Sakai, H., Kado, S., Kumagai, K., Kojima, H., Okabe, T., Nagano, T., Shirai, Y., and Sakane, F., A novel diacylglycerol kinase α-selective inhibitor, CU-3, induces cancer cell apoptosis and enhances immune response., *J Lipid Res.*, 57, 368-379, 2016.
14. Komenoi, S., Takemura, F., Sakai, H., and Sakane, F., Diacylglycerol kinase η1 is a high affinity isozyme for diacylglycerol., *FEBS Lett.*, 589, 1272-1277, 2015.
15. Shionoya, T., Usuki, T., Komenoi, S., Isozaki, T., Sakai, H., and Sakane, F., Distinct expression and localization of type II diacylglycerol kinase isozymes δ, η and κ in mouse reproductive organs., *BMC Dev. Biol.*, 15, 10 pages, 2015.

16. **Usuki, T., Sakai, H., Shionoya, T., Sato, N., and Sakane, F.**, Expression and localization of type II diacylglycerol kinase isozymes and in the developing mouse brain., *J. Histochem. Cytochem.*, 63, 57-68, 2015.
17. **Sakai, H., Kado, S., Taketomi, A., and Sakane, F.**, Diacylglycerol kinase δ phosphorylates phosphatidylcholine-specific phospholipase C-dependent, palmitic acid-containing diacylglycerol species in response to high glucose levels., *J. Biol. Chem.*, 289, 26607-26617, 2014.
18. **Sakiyama, S., Usuki, T., Sakai, H., and Sakane, F.**, Regulation of diacylglycerol kinase δ2 expression in C2C12 skeletal muscle cells by free fatty acids., *Lipids*, 49, 633-640, 2014.
19. **Yamamoto, T., Sakai, H., and Sakane, F.**, EF-hand motifs of diacylglycerol kinase α interact intramolecularly with its C1 domains., *FEBS Open Bio*, 4, 387-392, 2014.
20. **Takeshita, E., Kume, A., Maeda, Y., Sakai, H., and Sakane, F.**, Diacylglycerol kinase γ is a novel anionic phospholipid binding protein with a selective binding preference., *Biochem. Biophys. Res. Commun.*, 444, 617-621, 2014.
21. **Sato, M., Liu, K., Sasaki, S., Kunii, N., Sakai, H., Mizuno, H., Saga, H., Sakane, F.**, Evaluations of the selectivities of the diacylglycerol kinase inhibitors R59022 and R59949 among diacylglycerol kinase isozymes using a new non-radioactive assay method., *Pharmacology*, 92, 99-107, 2013.
22. **Matsutomo, D., Isozaki, T., Sakai, H., and Sakane, F.**, Osmotic shock-dependent redistribution of diacylglycerol kinase η1 to non-ionic detergent-resistant membrane via pleckstrin homology and C1 domains., *J. Biochem.*, 153, 179-190, 2013.
23. **Tanino, F., Maeda Y., Sakai, H., and Sakane, F.**, Induction of filopodia-like protrusions in N1E-115 neuroblastoma cells by diacylglycerol kinase γ independent of its enzymatic activity: potential novel function of the C-terminal region containing the catalytic domain of diacylglycerol kinase γ., *Mol. Cell. Biochem.*, 373, 85-93, 2013.
24. **Sakai, H. and Sakane, F.**, Recent progress on type II diacylglycerol kinases: the physiological functions of diacylglycerol kinase δ, η and κ and their involvement in disease., *J. Biochem.*, 152, 397-406, 2012. (総説)
25. **Takeuchi, M., Sakiyama, S., Usuki, T., Sakai, H., and Sakane, F.**, Diacylglycerol kinase δ1 transiently translocates to the plasma membrane in response to high glucose., *Biochim. Biophys. Acta - Mol. Cell Res.*, 1823, 2210-2216, 2012.
26. **Mizuno, S., Sakai, H. (equally contributing, corresponding), Saito, M., Kado, S., and Sakane, F.**, Diacylglycerol kinase-dependent formation of phosphatidic acid molecular species during interleukin-2 activation in CTLL-2 T-lymphocytes., *FEBS Open Bio*, 2, 267-272, 2012.
27. **Takahashi, M., Yamamoto, T., Sakai, H., and Sakane, F.**, Calcium negatively regulates an intramolecular interaction between the N-terminal recoverin homology and EF-hand motif domains and the C-terminal C1 and catalytic domains of diacylglycerol kinase α., *Biochem. Biophys. Res. Commun.*, 423, 571-576, 2012.
28. **Sakai, H., Harun, F., Yamamoto, N., and Yuki, N.**, Contamination with gangliosides in brain-derived rabies vaccine may trigger Guillaine-Barré syndrome., *J. Neurol. Neurosurg. Psychiatry.*, 83, 467-469, 2012.
29. **Matsumura, Y., Sakai, H., Sasaki, M., Ban, N., and Inagaki, N.**, ABCA3-mediated choline-phospholipids uptake into intracellular vesicles in A549 cells., *FEBS Lett.*, 581, 3139-3144, 2007.
30. **Sakai, H., Tanaka, Y., Tanaka, M., Ban, N., Yamada, K., Matsumura, Y., Watanabe, D., Sasaki, M., Kita, T., and Inagaki, N.**, ABCA2 deficiency results in abnormal sphingolipid metabolism in mouse brain., *J. Biol. Chem.*, 282, 19692-19699, 2007.

31. **Ban, N., Matsumura, Y., Sakai, H., Takanezawa, Y., Sasaki, M., Arai, H., and Inagaki, N.**, ABCA3 as a lipid transporter in pulmonary surfactant biogenesis., *J. Biol. Chem.*, 282, 9628-9634, 2007.
32. **Ban, N., Sasaki, M., Sakai, H., Ueda, K., and Inagaki, N.**, Cloning of ABCA17, a novel, rodent sperm-specific ATP-binding cassette (ABC) transporter that regulates intracellular lipid metabolism., *Biochem. J.*, 389, 577-585, 2005.
33. **Sakai, H., and Kajiwara, S.**, Cloning and functional characterization of a Δ12 fatty acid desaturase gene from the basidiomycete *Lentinula edodes*., *Mol. Genet. Genomics*, 273, 336-341, 2005.
34. **Watanabe, K., Oura, T., Sakai, H., and Kajiwara, S.**, Yeast Δ12 fatty acid desaturase: gene cloning, expression, and function., *Biosci. Biotechnol. Biochem.*, 68, 721-727, 2004.
35. **Sakai, H. and Kajiwara, S.**, Membrane lipid profile of an edible basidiomycete *Lentinula edodes* during growth and cell differentiation., *Lipids*, 39, 67-73, 2004.
36. **Sakai, H. (corresponding), Saito, T., Kajiwara, S., and Shishido, K.** Biological and inherited characteristics of a newly identified *Lentinula edodes* strain capable of forming a fruiting body without a shift to low temperature., *Mycoscience*, 45, 158-159, 2004.
37. **Sakai, H. and Kajiwara, S.**, A stearoyl-CoA-specific Δ9 fatty acid desaturase from the basidiomycete *Lentinula edodes*., *Biosci. Biotechnol. Biochem.*, 67, 2431-2437, 2003.