

血液浄化治療部

学術論文

- 1) Wang, T., Kawabata, M., Haneda, M., and Takabatake, T. Effects of uroguanylin, an intestinal natriuretic peptide, on tubuloglomerular feedback. *Hypertens Res*, 26: 577-582, 2003.
- 2) Honda, S., Kobayashi, T., Kajino, K., Urakami, S., Igawa, M., and Hino, O. Ets protein Elf-1 bidirectionally suppresses transcriptional activities of the tumor suppressor Tsc2 gene and the repair-related Nth1 gene. *Mol Carcinog*, 37: 122-129, 2003.
- 3) Moriyama-Gonda, N., Igawa, M., Shiina, H., Urakami, S., and Terashima, M. Decreased survival of prostate cancer cells in vitro by combined treatment of heat and an antioxidant inhibitor diethyldithiocarbamate (DDC). *Exp Toxicol Pathol*, 55: 251-256, 2003.
- 4) Shirai, M., Yamanaka, M., Shiina, H., Igawa, M., Fujime, M., Lue, T. F., and Dahiya, R. Downregulation of androgen, estrogen and progesterone receptor genes and protein is involved in aging-related erectile dysfunction. *Int J Impot Res*, 15: 391-396, 2003.
- 5) Mutaguchi, K., Yasumoto, H., Mita, K., Matsubara, A., Shiina, H., Igawa, M., Dahiya, R., and Usui, T. Restoration of insulin-like growth factor binding protein-related protein 1 has a tumor-suppressive activity through induction of apoptosis in human prostate cancer. *Cancer Res*, 63: 7717-7723, 2003.
- 6) Tanaka, Y., Sasaki, M., Kaneuchi, M., Shiina, H., Igawa, M., and Dahiya, R. Polymorphisms of estrogen receptor alpha in prostate cancer. *Mol Carcinog*, 37: 202-208, 2003.
- 7) Adachi, H., Igawa, M., Shiina, H., Urakami, S., Shigeno, K., and Hino, O. Human bladder tumors with 2-hit mutations of tumor suppressor gene TSC1 and decreased expression of p27. *J Urol*, 170: 601-604, 2003.
- 8) Kikuno, N., Yoshino, T., Urakami, S., Shigeno, K., Kishi, H., Hata, K., Shiina, H., and Igawa, M. The role of thymidine phosphorylase (TP) mRNA expression in angiogenesis of prostate cancer. *Anticancer Res*, 23: 1305-1312, 2003.
- 9) Tsuchiya, D., Hong, S., Matsumori, Y., Shiina, H., Kayama, T., Swanson, R. A., Dillman, W. H., Liu, J., Panter, S. S., and Weinstein, P. R. Overexpression of rat heat shock protein 70 is associated with reduction of early mitochondrial cytochrome C release and subsequent DNA fragmentation after permanent focal ischemia. *J Cereb Blood Flow Metab*, 23: 718-727, 2003.
- 10) Yamanaka, M., Shirai, M., Shiina, H., Tanaka, Y., Tsujimura, A., Matsumiya, K., Okuyama,

A., and Dahiya, R. Diabetes induced erectile dysfunction and apoptosis in penile crura are recovered by insulin treatment in rats. *J Urol*, 170: 291-297, 2003.

11) Shiina, H., Igawa, M., Breault, J., Ribeiro-Filho, L., Pookot, D., Urakami, S., Terashima, M., Deguchi, M., Yamanaka, M., Shirai, M., Kaneuchi, M., Kane, C. J., and Dahiya, R. The human T-cell factor-4 gene splicing isoforms, Wnt signal pathway, and apoptosis in renal cell carcinoma. *Clin Cancer Res*, 9: 2121-2132, 2003.

12) Deguchi, M., Shiina, H., Igawa, M., Kaneuchi, M., Nakajima, K., and Dahiya, R. DNA mismatch repair genes in renal cell carcinoma. *J Urol*, 169: 2365-2371, 2003.

13) Yoneda, T., Igawa, M., Shiina, H., Shigeno, K., and Urakami, S. Postoperative morbidity, functional results and quality of life of patients following orthotopic neobladder reconstruction. *Int J Urol*, 10: 119-125, 2003.

14) Shigeno, K., Igawa, M., Shiina, H., Kishi, H., and Urakami, S. Transrectal colour Doppler ultrasonography for quantifying angiogenesis in prostate cancer. *BJU Int*, 91: 223-226, 2003.

15) L. C., Zhao, H., Shiina, H., Kane, C. J., and Dahiya, R. PGDB: a curated and integrated database of genes related to the prostate. *Nucleic Acids Res*, 31: 291-293, 2003.

16) Tanaka, K., Honda, M., and Takabatake, T. Anti-apoptotic effect of atorvastatin, a 3-hydroxy-3-methylglutaryl coenzyme a reductase inhibitor, on cardiac myocytes through protein kinase C activation. *Clin Exp Pharmacol Physiol*, 31: 360-364, 2004.

17) Shirai, M., Yamanaka, M., Shiina, H., Igawa, M., Ogishima, T., Fujime, M., Ishii, N., Okuyama, A., Lue, T. F., and Dahiya, R. Androgen, estrogen, and progesterone receptor gene regulation during diabetic erectile dysfunction and insulin treatment. *Urology*, 64: 1244-1249, 2004.

18) Kawakami, T., Shiina, H., Igawa, M., Deguchi, M., Nakajima, K., Ogishima, T., Tokizane, T., Urakami, S., Enokida, H., Miura, K., Ishii, N., Kane, C. J., Carroll, P. R., and Dahiya, R. Inactivation of the hMSH3 mismatch repair gene in bladder cancer. *Biochem Biophys Res Commun*, 325: 934-942, 2004.

19) Kikuno, N., Moriyama-Gonda, N., Yoshino, T., Yoneda, T., Urakami, S., Terashima, M., Yoshida, M., Kishi, H., Shigeno, K., Shiina, H., and Igawa, M. Blockade of paclitaxel-induced thymidine phosphorylase expression can accelerate apoptosis in human prostate cancer cells. *Cancer Res*, 64: 7526-7532, 2004.

20) Li, L. C., Shiina, H., Deguchi, M., Zhao, H., Okino, S. T., Kane, C. J., Carroll, P. R., Igawa, M., and Dahiya, R. Age-dependent methylation of ESR1 gene in prostate cancer. *Biochem Biophys Res Commun*, 321: 455-461, 2004.

- 21) Enokida, H., Shiina, H., Igawa, M., Ogishima, T., Kawakami, T., Bassett, W. W., Anast, J. W., Li, L. C., Urakami, S., Terashima, M., Verma, M., Kawahara, M., Nakagawa, M., Kane, C. J., Carroll, P. R., and Dahiya, R. CpG hypermethylation of MDR1 gene contributes to the pathogenesis and progression of human prostate cancer. *Cancer Res*, 64: 5956-5962, 2004.
- 22) Kishi, H., Igawa, M., Kikuno, N., Yoshino, T., Urakami, S., and Shiina, H. Expression of the survivin gene in prostate cancer: correlation with clinicopathological characteristics, proliferative activity and apoptosis. *J Urol*, 171: 1855-1860, 2004.
- 23) Kaneuchi, M., Sasaki, M., Tanaka, Y., Shiina, H., Verma, M., Ebina, Y., Nomura, E., Yamamoto, R., Sakuragi, N., and Dahiya, R. Expression and methylation status of 14-3-3 sigma gene can characterize the different histological features of ovarian cancer. *Biochem Biophys Res Commun*, 316: 1156-1162, 2004.
- 24) Adachi, H., Majima, S., Kon, S., Kobayashi, T., Kajino, K., Mitani, H., Hirayama, Y., Shiina, H., Igawa, M., and Hino, O. Niban gene is commonly expressed in the renal tumors: a new candidate marker for renal carcinogenesis. *Oncogene*, 23: 3495-3500, 2004.

学会発表

- 1) 本田 聡, 浦上慎司, 井川幹夫, 樋野興夫: 転移性腎癌モデルにおける uPA system の検討. 第7回中国四国泌尿器科悪性腫瘍研究会. 岡山, 2003年2月
- 2) Dahiya R, Shiina H, Nakagawa M, Ishii N, Igawa M: Cell adhesion molecules as biomarkers for human bladder and renal cancers. 第91回日本泌尿器科学会総会 招請講演. 徳島, 2003年4月
- 3) Dahiya R, Shiina H, Igawa M, Tanagho EA: Bladder regeneration in diabetic and chemical cystitis models. 第91回日本泌尿器科学会総会 パネルディスカッション-基調講演. 徳島, 2003年4月
- 4) 本田 聡, 足立浩幸, 浦上慎司, 樋野興夫, 井川幹夫: 前立腺癌進展過程における新規遺伝子産物“NIBAN”の免疫組織学的検討. 第91回日本泌尿器科学会総会. 徳島, 2003年4月
- 5) Honda S, Igawa M, Urakami S, Adachi H, Majima S, Kon S, Hino O: Expression of a novel gene product “NIBAN” in human prostate cancer. The 98th American Urological Association. Chicago, April 26 - May 1, 2003
- 6) 本田 聡, 井川幹夫, 足立浩幸, 浦上慎司, 真島州一, 今 重之, 樋野興夫: ヒト

前立腺癌進展過程における " NIBAN " の発現の検討. 第 62 回日本癌学会総会. 名古屋, 2003 年 9 月

7) Shiina H, Enokida H, Nakagawa M, Kane C J, Dahiya R, Igawa M: Epigenetics of cell adhesion genes in human prostate cancer. 第 92 回日本泌尿器科学会総会 ワークショップ「前立腺癌の病理-最新の知見-」. 大阪, 2004 年 4 月

8) Yoneda T, Imai S, Urakami S, Kishi H, Shigeno K, Shiina H, Igawa M : Assessment of Quality of Life using S F-36 questionnaires in patients following orthotopic neobladder reconstruction compared with standard levels in Japanese people. The 99th American Urological Association. San Francisco, May 8 - May 13, 2004

9) Tanaka U, Sasaki M, Shiina H, Igawa M, Kaneuchi M, Kane C J, Carroll P R, Dahiya R: Polymorphisms of cytochrome P450 1B1 are risk factors for prostate cancer. The 99th American Urological Association. San Francisco, May 8 - May 13, 2004

10) Bassett W W, Shiina H, Anast J W, Pookot deepa, Igawa M, Tabatabai Z L, Kane C J, Carroll P R, Dahiya R: Racial differences in β - and γ -catenin methylation status in prostate cancer. The 99th American Urological Association. San Francisco, May 8 - May 13, 2004

11) Enokida H, Shiina H, Ogishima T, Kawakami T, Bassett W W, Anast J W, Tabatabai Z L, Yoshino T, Igawa M, Nakagawa M, Kane C J, Carroll P R, Dahiya R: Epigenetics of metallothionein-1g and multidrug resistance-1 genes is a common feature of human bladder cancer. The 99th American Urological Association. San Francisco, May 8 - May 13, 2004

12) Shiina H, Enokida H, Ogishima T, Kawakami T, Bassett W W, Anast J W, Tabatabai Z L, Igawa M, Ribeiro-Filho L A, Sarkis A S, Paulo S, Kane C J, Carroll P R, Dahiya R: Epigenetic of beta-catenin gene is involved in the progression and metastasis of prostate cancer. The 99th American Urological Association. San Francisco, May 8 - May 13, 2004

13) Shirai M, Yamanaka M, Shiina H, Ogishima T, Igawa M, Fujime M, Lue T F, Dahiya R: Vascular endothelial growth factor restores erectile function through modulation of the insulin-like growth factor system in diabetic rat penile crura. The 99th American Urological Association. San Francisco, May 8 - May 13, 2004

14) Shiina H, Youssif M E, Ribeiro-Filho L A, Sarkis A S, Igawa M, Dahiya R, Tanagho E A: Regeneration of the bladder acellular matrix graft in a diabetic rat model : Effects of vascular endothelial growth factor. The 99th American Urological Association. San Francisco, May 8 - May 13, 2004

15) 椎名浩昭, 浦上慎司, 岸 浩史, 滋野和志, 井川幹夫, Dahiya R, Tanagho E A: Bladder acellular matrix graft を用いたラット膀胱再生の検討. 第 1 回泌尿器科再建

再生研究会．東京，2004 年 6 月

16) Kishi H, Kikuno N, Yoshino T, Urakami S, Shiina H, Igawa M: Expression of the survivin gene in prostate cancer: relationship with the expression of caspase-3. The 27th Congress of the Société Internationale d Urologie. Honolulu, October 3–7, 2004

17) Kikuno N, Moriyama-Gonda N, Arichi N, Takeda M, Yoshino T, Urakami S, Shigeno K, Kishi H, Shiina H, Igawa M: Effect of paclitaxel-induced thymidine phosphorylase refractory prostate cancer cell lines PC-3 and DU 145. The 27th Congress of the Société Internationale d Urologie. Honolulu, October 3–7, 2004

18) Yoneda T, Imai S, Urakami S, Kishi H, Shigeno K, Shiina H, Igawa M: Assessment of quality of life for patients using 36-item short form and UCLA prostate cancer index questionnaires following perineal radical prostatectomy compared with retropubic radical prostatectomy(RRP). The 27th Congress of the Société Internationale d Urologie. Honolulu, October 3–7, 2004

19) Adachi H, Kobayashi T, Kajino K, Shiina H, Igawa M, Hino O: Niban, which is expressed at the early stage of carcinogenesis, might be a stress protein. The 27th Congress of the Société Internationale d Urologie. Honolulu, October 3–7, 2004

20) 椎名浩昭: Acellular matrix graft を用いた尿道・膀胱再生の研究．第 100 回日本泌尿器科学会山陰地方会シンポジウム．米子，2004 年 10 月

21) 足立浩幸, 米田達明, 有地直子, 日向泰樹, 中村成伸, 和気功治, 菊野伸之, 今井 伸, 本田 聡, 岸 浩史, 滋野和志, 椎名浩昭, 井川幹夫: 最近 10 年間の膀胱癌に対する治療成績．第 100 回日本泌尿器科学会山陰地方会．米子，2004 年 10 月

22) Shigeno K, Arichi N, Shiina H, Igawa M, Yoshizako T, Kitagaki H, Kajitani T: Proton MR spectroscopy for the detection of prostate cancer. The 7th Asian Congress of Urology. Hong Kong, October 31-November 5, 2004

23) Honda S, Igawa M, Adachi H, Shiina H, Hino O: Analysis of a novel gene product “ NIBAN ” in human prostate carcinogenesis. The 7th Asian Congress of Urology. Hong Kong, October 31-November 5, 2004

24) 滋野和志, 有地直子, 足立浩幸, 今井 伸, 米田達明, 岸 浩史, 椎名浩昭, 井川幹夫: PSA Rapid Test を用いた前立腺癌のスクリーニング．第 20 回前立腺シンポジウム．東京，2004 年 12 月