

- 1) Saito Y, Sakura S, Kaneko M, Kosaka Y : The effects of epidural anesthesia on ventilatory response to hypoxia. *Journal of Clinical Anesthesia* 5 (1) : 46-49, 1993.
- 2) Sakura S, Saito Y, Kosaka Y : Effects of lumbar epidural anesthesia on ventilatory response to hypercapnia in young and elderly patients. *Journal of Clinical Anesthesia* 5 (2) : 109-113, 1993.
- 3) Kawachi S, Sumiyoshi N, Yamamori Y, Kaneko M, Yuge O : Utilization of a glucose / fructose / xylitol carbohydrate solution during surgery. *Journal of Investigative Surgery* 6 : 477-484, 1993.
- 4) Sakura S, Nonoue T, Nomura T, Hara K, Iwakura H, Kosaka Y : Differences in the assessment of postoperative pain when evaluated by patients and doctors. *Journal of Anesthesia* 7 (3) : 287-292, 1993.
- 5) Nakatani T, Saito Y, Nonoue T, Tanaka A, Kosaka Y : Anesthesia for Open Heart Surgery without Blood Transfusion into a Jehovah's Witness. *Hiroshima Journal of Anesthesia* 29 (4) : 427-430, 1993.
- 6) Saito Y, Sakura S, Takatori T, Kosaka Y : Epidural anesthesia in a patient with myasthenia gravis. *Acta Anaesthesiologica Scandinavica* 37 (5) : 513-515, 1993.
- 7) Sakura S, Saito Y, Kosaka Y : Effect of extradural anaesthesia on the ventilatory response to hypoxia. *Anaesthesia* 48 (3) : 205-209, 1993.
- 8) Brown TE, Beightol LA, Koh J, Eckberg DL : Important influence of respiration on human R-R interval power spectra is largely ignored. *J. Appl. Physiol* 75 : 2310-2317, 1993.
- 9) Ishikura H, Endo J, Saito Y, Kosaka Y, Matsuo S, Nagasue N, Nakamura T, Tsunematsu T, Miyazaki T, Matsumoto H : Graft-versus-host antibody reaction causing a delayed hemolytic anemia after blood transfusion. *Blood* 82 : 3222-3223, 1993.
- 10) Nomura T, Saito Y, Suyama N, Nakatani T, Takatori T, Asano M, Kosaka Y, Tsunematsu T : Efficacy of lymphocytapheresis for relapsing encephalomyelitis. *Therapeutic Plasmapheresis* 10 : 130-133, 1993.
- 11) Sakura S, Nonoue T, Nomura T, Nakatani T : Assessment of postoperative pain : Contributing factors to the differences between patients and doctors. *Journal of Anesthesia* 8 (3) : 277-283, 1994.
- 12) Saito Y, Uchida H, Kaneko M, Nakatani T, Kosaka Y : Comparison of continuous epidural infusion of morphine bupivacaine with fentanyl / bupivacaine for postoperative pain relief. *Acta Anaesthesiologica Scandinavica* 38 (4) : 398-401, 1994.
- 13) Kaneko M, Saito Y, Kiriwara Y, Kosaka Y : Pregnancy enhances the antinociceptive effects of extradural lignocaine in the rat. *Br J Anaesthesia* 72 (6) : 657-661, 1994.
- 14) Kaneko M, Saito Y, Kiriwara Y, Collins JG, Kosaka Y : Synergistic antinociceptive interaction after epidural coadministration of morphine and lidocaine in rats. *Anesthesiology* 80 (1) : 137-150, 1994.
- 15) Drasner K, Sakura S, Chan VW, Bollen AW, Ciriales R : Persistent sacral sensory deficit induced by intrathecal local anesthetic infusion in the rat. *Anesthesiology* 80 (4) : 847-852, 1994.

- 16) Koh J, Brown TE, Beightol LA, Ha CY, Eckberg DL : Human autonomic rhythms : vagal cardiac mechanisms in tetraplegic subjects. *J. Physiol.* 474 : 483-495, 1994.
- 17) Sakura S, Chan VWS, Ciriales R, Drasner K : The addition of 7.5% glucose does not alter the neurotoxicity of 5% lidocaine administered intrathecally in the rat. *Anesthesiology* 82 : 236-240, 1995.
- 18) Nomura T, Lebowitz L, Koide Y, Keehn L, Oka Y : Evaluation of hepatic venous flow using transesophageal echocardiography in coronary artery bypass surgery : an index of right ventricular function. *J Cardiothrac Vasc Anesth* 9 : 9-17, 1995.
- 19) Yamamori Y, Kawano Y, Nakamura Y, Tanaka A, Kosaka Y : Epidural anesthesia for cesarean section in triplet pregnant women with toxemia and complications of ritodrine therapy : five case reports. *Journal of Anesthesia* 9 : 106-108, 1995.
- 20) Uchida H, Kosaka Y, Tanaka A, Sakura S : High epidural analgesia (thoracic epidural) ; review on technique at the Shimane Medical University. *Journal of the Bangladesh Society of Anaesthesiologists* 8 : 15-21, 1995.
- 21) Sakura S, Bollen AW, Ciriales R, Drasner K : Local anesthetic neurotoxicity does not result from blockade of voltage-gated sodium channels. *Anesthesia & Analgesia* 81 : 338-346, 1995.
- 22) Koh J, Nakamura Y, Tanaka A, Kosaka Y : Spontaneous respiration should be avoided in frequency domain analysis of heart rate variability. *J Anesth* 9 : 229-234, 1995.
- 23) Saito Y, Sakura S, Kaneko M, Kosaka Y : Interaction of extradural morphine and lignocaine on ventilatory response. *British Journal of Anaesthesia* 75 : 394-398, 1995.
- 24) Alam S, Sakura S, Kosaka Y : Anaesthetic management for caesarean section in a patient with Kawasaki disease. *Canadian Journal of Anaesthesia* 42 : 1024-1026, 1995.
- 25) Yamamori Y, Kishikawa K, Collins JG : Halothane effects on low-threshold receptive field size of rat spinal dorsal horn neurons appear to be independent of supraspinal modulatory systems. *Brain Research* 702 : 162-168, 1995.
- 26) Saito Y, Kaneko M, Kirihara Y, Kosaka Y, Collins JG : Intrathecal prostaglandin E1 produces a long-lasting allodynic state. *Pain* 63 : 303-311, 1995.
- 27) Alam S, Sakura S, Kosaka Y : A simple method to advance a winged epidural needle. *Journal of Anesthesia* 9 : 385-386, 1995. Kishikawa K, Uchida H, Yamamori Y, Collins JG : Low-threshold neuronal activity of spinal dorsal horn neurons increases during REM sleep in cats : comparison with effects of anesthesia. *Journal of Neurophysiology* 74 : 763-769, 1995.
- 28) Uchida H, Kishikawa K, Collins JG : Effect of propofol on spinal dorsal horn neurons ; comparison with lack of ketamine effects. *Anesthesiology* 83 : 1312-1322, 1995.
- 29) Honda S, Koide S, Dekio S, Tanaka A, Kosaka Y : Intravenous administration of prostaglandin E1 is effective to causalgia: report of a case. *PROCEEDINGS* : 944-947
- 30) Yamamori Y, Sumi M, Yamanaka M, Kosaka Y : Safety of isoflurane and epidural anesthesia in a patient with hereditary coproporphyrria. *Journal of Anesthesia* 10 : 80-82, 1996.
- 31) Alam S, Saito Y, Kosaka Y : Antinociceptive effects of epidural and intravenous ketamine to somatic and visceral stimuli in rats. *Canadian Journal of Anaesthesia* 43 :

408-413, 1996.

- 32) Saito Y, Sakura S, Kosaka Y : Ventilatory response to carbon dioxide. *British Journal of Anaesthesia* 76 : 747-748, 1996.
- 33) Fenerty J, Sonner J, Sakura S, Drasner K : Transient radicular pain following spinal anesthesia : review of the literature and report of a case involving 2% lidocaine. *International Journal of Obstetric Anesthesia* 5 : 32-35, 1996.
- 34) Sakura S, Saito Y, Kosaka Y : The effects of epidural anesthesia on ventilatory response to hypercapnia and hypoxia in elderly patients. *Anesthesia & Analgesia* 82 : 306-311, 1996.
- 35) Sakura S, Nomura T, Uchida H : Tumor fragment in the airway detected by intraoperative fiberoptic examination. *Anaesthesia and Intensive Care* 24 : 265-266, 1996.
- 36) Alam S, Sakura S, Kosaka Y : Airway obstruction during emergence from general anesthesia in a patient with tracheal deviation. *Anesthesia and Resuscitation* 32 : 185-186, 1996.
- 37) Sakura S, Sumi M : Transient neurologic toxicity? *Anesthesia & Analgesia* 83 : 887-888, 1996.
- 38) Sakura S, Hashimoto K, Bollen AW, Ciriales R, Drasner K : Intrathecal catheterization in the rat : improved technique for morphologic analysis of drug-induced injury. *Anesthesiology* 85 : 1184-1189, 1996.
- 39) Yamada Y, Sakura S, Sumi M, Kosaka Y : Epidural anesthesia for a patient with asthma presenting for lumbar spine surgery. *Anesthesia and Resuscitation* 32 : 283-284, 1996.
- 40) Yamamori Y, Saito Y, Kaneko M, Kirihara Y, Sakura S, Kosaka Y : Antinociceptive effects of ONO-9902, an enkephalinase inhibitor, after visceral stress condition in rats. *Canadian Journal of Anaesthesia* 43 : 1175-1179, 1996.
- 41) Sumi M, Sakura S, Sakaguchi Y, Saito Y, Kosaka Y : Comparison of glucose 7.5% and 0.75% with or without phenylephrine for tetracaine spinal anaesthesia. *Canadian Journal of Anaesthesia* 43 : 1138-1143, 1996.
- 42) Sumi M, Sakura S, Kosaka Y : Intrathecal hyperbaric 0.5% tetracaine as a possible cause of transient neurologic toxicity. *Anesthesia & Analgesia* 82 : 1076-1077, 1996.
- 43) Koide Y, Keehn L, Nomura T, Long T, Oka Y : Relationship of regional wall motion abnormalities detected by biplane transesophageal echocardiography and electrocardiographic changes in patients undergoing coronary artery bypass graft surgery. *J Cardiothorac Vasc Anesth* 10 : 719-727, 1996.
- 44) Koh J, Shinnzawa M, Kosaka Y : Effect of high-frequency jet ventilation on heart rate variability. *J Anesth* 10 : 120-124, 1996.
- 45) Hara K, Sakura S, Saito Y, Maeda M, Kosaka Y : Epidural anesthesia and pulmonary function in a patient with amyotrophic lateral sclerosis. *Anesth Analg* 83 : 878-879, 1996.
- 46) Alam S, Kosaka Y : A simple technique to avoid epidural catheter disconnection from connector (portex). *Regional Anesthesia* 21 : 607, 1996.
- 47) Alam S : Spinal-epidural-general anesthesia. *Regional Anesthesia* 21 : 608, 1996.
- 48) Alam S : Compartment block. *Regional Anesthesia* 21 : 270, 1996.
- 49) Alam S : Epidural catheter connector. *Can J Anesthesia* 43 : 642, 1996.

- 50) Alam S : Suprascapular nerve block. *Regional Anesthesia* 21 : 371-372, 1996.
- 51) Alam S : An alternative adapter-connector for epidural catheter. *Regional Anesthesia* 21 : 492, 1996.
- 52) Honda S, Koike S, Dekio S, Tanaka A, Kosaka Y : Intravenous administration of prostaglandin E1 is effective to causalgia : report of a case. *Anesthesia and Resuscitation* 32 : 181-183, 1996.
- 53) Sakura S, Hashimoto K : Neurotoxicity of subarachnoid bupivacaine. Letter to the editor. *Regional Anesthesia* 22 : 198-199, 1997.
- 54) Sakura S, Sumi M, Sakaguchi Y, Saito Y, Kosaka Y, Drasner K : The addition of phenylephrine contributes to the development of transient neurologic symptoms after spinal anesthesia with 0.5% tetracaine. *Anesthesiology* 87 : 771-778, 1997.
- 55) Kohno K, Koh J, Kosaka Y : Effect of fentanyl on heart rate variability during mechanical ventilation. *Journal of Anesthesia* 11 : 270-276, 1997.
- 56) Koh J, Brown TE, Beightol LA, Eckberg DL : Contributions of tidal inflation to human R-R interval and arterial pressure fluctuations. *Journal of the Autonomic Nervous System* 68 : 89-95, 1998.
- 57) Sakura S, Sumi M, Morimoto N, Yamamori Y, Saito Y : Spinal anesthesia with tetracaine in 0.75% glucose : Influence of the vertebral interspace used for injection. *Regional Anesthesia and Pain Medicine* 23 : 170-175, 1998.
- 58) Sakura S, Drasner K : Is phenylephrine or sodium bisulfite neurotoxic? Transient neurologic symptoms when phenylephrine is added to tetracaine spinal anesthesia-an alternative. Letter to the editor (reply). *Anesthesiology* 89 : 274, 1998.
- 59) Hara K, Saito Y, Morimoto N, Sakura S, Kosaka Y : Anaesthetic management of Caesarean section in a patient with myelodysplastic syndrome. *Canadian Journal of Anaesthesia* 45 : 157-163, 1998.
- 60) Hara K, Saito Y, Kirihara Y, Sakura S, Kosaka Y : Antinociceptive Effects of Intrathecal L-Type Calcium Channel Blockers on Visceral and Somatic Stimuli in the Rat. *Anesthesia & Analgesia* 87 : 382-387, 1998.
- 61) Sumi M, Sakura S, Koshizaki M, Saito Y, Kosaka Y : The Advantages of the lateral decubitus position after spinal anesthesia with hyperbaric tetracaine. *Anesthesia & Analgesia* 87 : 879-884, 1998.
- 62) Sakura S, Sumi M, Yamada Y, Saito Y, Kosaka Y : Quantitative and selective assessment of sensory block during lumbar epidural anaesthesia with 1% and 2% lignocaine. *British Journal of Anaesthesia* 81 : 718-722, 1998.
- 63) Hashimoto K, Sakura S, Bollen AW, Ciriales R, Drasner K : Comparative toxicity of glucose and lidocaine administered intrathecally in the rat. *Regional Anesthesia and Medicine* 23 : 444-450, 1998.
- 64) Yanagidani T, Ota K, Collins JG : Complex effects of general anesthesia on sensory processing in the spinal dorsal horn. *Brain Research* 812 : 301-304, 1998.
- 65) Saito Y, Kaneko M, Kirihara Y, Sakura S, Kosaka Y : Interaction of intrathecally infused morphine and lidocaine in rats (part 1) ; synergistic antinociceptive effects . *Anesthesiology* 89 : 1455-1463, 1998.

- 66) Saito Y, Kaneko M, Kirihara Y, Sakura S, Kosaka Y : Interaction of intrathecally infused morphine and lidocaine in rats (part 2) ; effects on the development of tolerance to morphine. *Anesthesiology* 89 : 1464-1470, 1998.
- 67) Saito Y, Kaneko M, Kirihara Y, Sakura S, Kosaka Y : Characteristics of tolerance to somatic and visceral antinociception after continuous epidural infusion of morphine in rats. *Anesthesia & Analgesia* 87 : 1340-1345, 1998.
- 68) Sakura S, Hashimoto K : Neurotoxicity of subarachnoid bupivacaine. Letter to the editor. *Regional Anesthesia* 22 : 198-199, 1997.
- 69) Sakura S, Sumi M, Sakaguchi Y, Saito Y, Kosaka Y, Drasner K : The addition of phenylephrine contributes to the development of transient neurologic symptoms after spinal anesthesia with 0.5% tetracaine. *Anesthesiology* 87 : 771-778, 1997.
- 70) Kohno K, Koh J, Kosaka Y : Effect of fentanyl on heart rate variability during mechanical ventilation. *Journal of Anesthesia* 11 : 270-276, 1997.
- 71) Koh J, Brown TE, Beightol LA, Eckberg DL : Contributions of tidal inflation to human R-R interval and arterial pressure fluctuations. *Journal of the Autonomic Nervous System* 68 : 89-95, 1998.
- 72) Sakura S, Sumi M, Morimoto N, Yamamori Y, Saito Y : Spinal anesthesia with tetracaine in 0.75% glucose : Influence of the vertebral interspace used for injection. *Regional Anesthesia and Pain Medicine* 23 : 170-175, 1998.
- 73) Sakura S, Drasner K : Is phenylephrine or sodium bisulfite neurotoxic? Transient neurologic symptoms when phenylephrine is added to tetracaine spinal anesthesia-an alternative. Letter to the editor (reply). *Anesthesiology* 89 : 274, 1998.
- 74) Hara K, Saito Y, Morimoto N, Sakura S, Kosaka Y : Anaesthetic management of Caesarean section in a patient with myelodysplastic syndrome. *Canadian Journal of Anaesthesia* 45 : 157-163, 1998.
- 75) Hara K, Saito Y, Kirihara Y, Sakura S, Kosaka Y : Antinociceptive Effects of Intrathecal L-Type Calcium Channel Blockers on Visceral and Somatic Stimuli in the Rat. *Anesthesia & Analgesia* 87 : 382-387, 1998.
- 76) Sumi M, Sakura S, Koshizaki M, Saito Y, Kosaka Y : The Advantages of the lateral decubitus position after spinal anesthesia with hyperbaric tetracaine. *Anesthesia & Analgesia* 87 : 879-884, 1998.
- 77) Sakura S, Sumi M, Yamada Y, Saito Y, Kosaka Y : Quantitative and selective assessment of sensory block during lumbar epidural anaesthesia with 1% and 2% lignocaine. *British Journal of Anaesthesia* 81 : 718-722, 1998.
- 78) Hashimoto K, Sakura S, Bollen AW, Ciriales R, Drasner K : Comparative toxicity of glucose and lidocaine administered intrathecally in the rat. *Regional Anesthesia and Medicine* 23 : 444-450, 1998.
- 79) Yanagidani T, Ota K, Collins JG : Complex effects of general anesthesia on sensory processing in the spinal dorsal horn. *Brain Research* 812 : 301-304, 1998.
- 80) Saito Y, Kaneko M, Kirihara Y, Sakura S, Kosaka Y : Interaction of intrathecally infused morphine and lidocaine in rats (part 1) ; synergistic antinociceptive effects. *Anesthesiology* 89 : 1455-1463, 1998.

- 81) Saito Y, Kaneko M, Kirihara Y, Sakura S, Kosaka Y : Interaction of intrathecally infused morphine and lidocaine in rats (part 2) ; effects on the development of tolerance to morphine. *Anesthesiology* 89 : 1464-1470, 1998.
- 82) Saito Y, Kaneko M, Kirihara Y, Sakura S, Kosaka Y : Characteristics of tolerance to somatic and visceral antinociception after continuous epidural infusion of morphine in rats. *Anesthesia & Analgesia* 87 : 1340-1345, 1998.
- 83) Sakura S, Sumi M, Kushizaki H, Saito Y, Kosaka Y : Concentration of lidocaine affects intensity of sensory block during lumbar epidural anesthesia. *Anesthesia & Analgesia* 88 : 123-127, 1999.
- 84) Sato K, Koh J, Kosaka Y : Effects of nitroglycerin on fractal features of short-term heart rate and blood pressure variability. *Journal of Anesthesia* 13 : 71-76, 1999.
- 85) Imamachi N, Saito Y, Hara K, Sakura S, Kosaka Y : The non-NMDA glutamate receptor antagonist CNQX augments lidocaine antinociception through a spinal action in rats. *Anesthesia & Analgesia* 89 : 416-421, 1999.
- 86) Hara K, Saito Y, Kirihara Y, Yamada Y, Sakura S, Kosaka Y : The interaction of antinociceptive effects of morphine and GABA receptor agonists within the rat spinal cord. *Anesthesia & Analgesia* 89 : 422-427, 1999.
- 87) Sakura S, Sumi M, Morimoto N, Saito Y : The addition of epinephrine increases intensity of sensory block during epidural anesthesia with lidocaine. *Regional Anesthesia and Pain Medicine* 24 : 541-546, 1999.
- 88) Saito Y, Collins JG, Iwasaki H : Tonic serotonergic modulation of visceral and somatic sensation within the rat spinal cord. *Pain Research* 14 : 21-25, 1999.
- 89) Miyamoto H, Saito Y, Kirihara Y, Hara K, Sakura S, Kosaka Y : Spinal coadministration of ketamine reduces the development of tolerance to visceral as well as somatic antinociception during spinal morphine infusion. *Anesthesia & Analgesia* 90 : 136-141, 2000.
- 90) Sakura S, Sakaguchi Y, Shinzawa M, Hara K, Saito Y : The assessment of dermatomal level of surgical anesthesia after spinal tetracaine. *Anesthesia & Analgesia* 90 : 1406-1410, 2000.
- 91) Sakaguchi Y, Sakura S, Shinzawa M, Saito Y : Does adrenaline improve epidural bupivacaine and fentanyl analgesia after abdominal surgery? *Anaesthesia and Intensive Care* 28 : 522-526, 2000.
- 92) Ozasa H, Morimoto N, Saito Y : Changes of cardiac performance during general anesthesia in a child with noncompaction of the left ventricular myocardium. *Anaesthesia and Resuscitation* 36 : 123-124, 2000.
- 93) Doi K, Saito Y, Nikai T, Morimoto N, Nakatani T, Sakura S : Lumbar sympathetic block for pain relief in two patients with interstitial cystitis. *Regional Anesthesia and Pain Medicine* 26 : 271-273, 2001.
- 94) Hashimoto K, Hampl KF, Nakamura Y, Bollen AW, Feiner J, Drasner K : Epinephrine increases the neurotoxic potential of intrathecally administered lidocaine in the rat. *Anesthesiology* 94 : 876-881, 2001.
- 95) Sakura S, Sakaguchi Y : Does adrenaline improve epidural bupivacaine and fentanyl

analgesia after abdominal surgery?—Reply. *Anaesthesia and Intensive* 29 : 437-438, 2001.

- 96) Toyota K, Sakura S, Saito Y, Shido A, Matsukawa T : IM droperidol as premedication attenuates intraoperative hypothermia. *Canadian Journal of Anesthesia* 48 : 854-858, 2001.
- 97) Sakura S, Imamachi N, Toyota K, Shono A, Saito Y : Spinal anesthesia with tetracaine in 7.5% or 0.75% glucose in adolescents and adults. *Anesthesia & Analgesia* 93 : 77-81, 2001.
- 98) Sakura S, Toyota K, Doi K, Saito Y : Recurrent neurological symptoms in a patient following repeat combined spinal and epidural anaesthesia. *British Journal of Anaesthesia* 88 : 141-143, 2002.
- 99) Yamada Y, Doi K, Sakura S, Saito Y : Anesthetic management for a patient with jansky-bielschowsky disease. *Canadian Journal of Anesthesia* 49 : 81-83, 2002.
- 100) Doi K, Nikai T, Sakura S, Saito Y : Intercostal nerve block with 5% tetracaine for chronic pain syndromes. *Journal of Clinical Anesthesia* 14 : 39-41, 2002.
- 101) Ozasa H, Hashimoto K, Saito Y : Pulmonary doppler flow velocity pattern during caudal epidural anaesthesia in children. *Paediatric Anaesthesia* 12 : 317-321, 2002.
- 102) Kishimoto T, Bollen AW, Drasner K : Comparative Spinal Neurotoxicity of Prilocaine and Lidocaine. *Anesthesiology* 97 : 1250-1253, 2002.
- 103) Sakura S : Recurrent neurologic symptoms in a patient following repeat combined spinal epidural anaesthesia. Letter to the editor (reply). *British Journal of Anaesthesia* 90 : 402-404, 2003.
- 104) Ozasa H, Nikai T, Kanata K, Uchida H : Dose partial/portable cardiopulmonary support (PCPS) provide advantages in anesthetic management for multivessel coronary artery bypass grafting on beating heart? *Cardiovascular Anesthesia* 7 : 7-12, 2003.
- 105) Koshizaki M, Kawamata M, Shimada SG, Saito Y, Collins JG : 5-HT₃ Receptors partially mediate halothane depression of spinal dorsal sensory neurons. *Anesthesia & Analgesia* 96 : 1027-1031, 2003.
- 106) Shono A, Saito Y, Sakura S, Doi K, Yokokawa N : Sevoflurane requirements to suppress responses to transcutaneous electrical stimulation during epidural anesthesia with 0.5% and 1% lidocaine. *Anesthesia & Analgesia* 97 : 1168-1172, 2003.
- 107) Kirihaara Y, Saito Y, Sakura S, Hashimoto K, Kishimoto T, Yasui Y : Comparative neurotoxicity of intrathecal and epidural lidocaine in rats. *Anesthesiology* 99:961-968, 2003.
- 108) Shono A, Sakura S, Saito Y, Doi K, Nakatani T : Comparison of 1% and 2% lignocaine epidural anaesthesia combined with sevoflurane general anaesthesia utilizing a constant bispectral index. *British Journal of Anaesthesia* 91 : 825-829, 2003.
- 109) Toyota K, Sakura S, Saito Y, Ozasa H, Uchida H : The effect of pre-operative administration of midazolam on the development of intra-operative hypothermia. *Anaesthesia* 59 : 116-121, 2004.
- 110) Xue Y, Hieda Y, Saito Y, Nomura T, Fujihara J, Takayama K, Kimura K, Takeshita H : Distribution and disposition of benzalkonium chloride following various routes of

administration in rats. *Toxicology Letters* 148 : 113-123, 2004.

- 111) Hara K, Saito Y, Kirihara Y, Sakura S : The interaction between gamma-aminobutyric acid agonists and diltiazem on the visceral antinociceptive effect in rats. *Anesthesia & Analgesia* 98 : 1380-1384, 2004.
- 112) Inagaki T, Mizuno S, Miyaoka T, Tsubouchi K, Momose I, Kishi T, Horiguchi J, Kanata K, Hiruta H, Nakatani T, Doi K, Saito Y : Breath-holding spells in somatoform disorder. *International journal of psychiatry in medicine* 34 : 201-205, 2004.
- 113) Toyota K, Uchida H, Ozasa H, Motooka A, Sakura S, Saito Y : Preoperative airway evaluation using multi-slice three-dimensional computed tomography for a patient with severe tracheal stenosis. *British Journal of Anaesthesia* 93 (6) : 865-867, 2004.
- 114) Doi K, Kushizaki H, Nikai T, Sakura S, Saito Y : Relationship between VAS score and neurophysiological sensory nerve function in herpes zoster patients. *Proceedings 11th International Pain Clinic* : 501-504, 2004.
- 115) Ozasa H, Uchida H, Motooka A, Toyota K, Saito Y : <Letter to the editor>Intraoperative pneumothorax during retroperitoneal laparoscopic surgery. *Journal of Anesthesia* 18 : 318-319, 2004.
- 116) Nakatani T, Saito Y, Sakura S, Kanata K : Haemodynamic effects of thoracic epidural anaesthesia during induction of anaesthesia : an investigation into the effects of tracheal intubation during target-controlled infusion of propofol. *Anaesthesia* 60 : 530-534, 2005.
- 117) Sakura S, Kirihara Y, Muguruma T, Kishimoto T, Saito Y : The comparative Neurotoxicity of intrathecal lidocaine and bupivacaine in rats. *Anesth Analg* 101 : 541-547, 2005.
- 118) Kawamata M, Koshizaki M, Shimada SG, Narimatsu E, Kozuka Y, Takahashi T, Namiki A, Collins JG : Changes in response properties and receptive fields of spinal dorsal horn neurons in rats after surgical incision in hairy skin. *Anesthesiology* 102 : 141-151, 2005.
- 119) Kanata K, Sakura S, Kushizaki H, Nakatani T, Saito Y : Effects of epidural anesthesia with 0.2% and 1% ropivacaine on Predicted propofol concentrations and bispectral index values at three clinical end points. *Journal of Clinical Anesthesia* 18 : 409-414, 2006.
- 120) Muguruma T, Sakura S, Kirihara Y, Saito Y : Comparative Somatic and Visceral Antinociception and Neurotoxicity of Intrathecal Bupivacaine, Levobupivacaine, and Dextrobupivacaine in Rats. *Anesthesiology* 104 : 1249-1256, 2006.
- 121) Hashimoto T, Saito Y, Yamada K, Hara N, Kirihara Y, Tsuchiya M : Enhancement of Morphine Analgesic Effect with Induction of μ -Opioid Receptor Endocytosis in Rats. *Anesthesiology* 105 : 574-580, 2006.
- 122) Siemens J, Zhou S, Piskrowski R, Nikai T, Lumpkin EA, Basbaum AI, King D, Julius D : Spider toxins activate the capsaicin receptor to produce Inflammatory pain. *Nature* 444 (7116) : 208-212, 2006.
- 123) Bautista DM, Jordt SE, Nikai T, Tsuruda PR, Read AJ, Prolete J, Yamoah EN, Basbaum AI, Julius D : TRPA1 mediates the inflammatory actions of environmental Irritants and proalgesic agents. *Cell* 124 (6) : 1269-1282, 2006.

- 124) Doi K, Mihara T, Kushizaki H, Hashimoto T, Saito Y : Sensory and Sympathetic Nerve Function in Herpes Zoster Patients. MEDIMOND S.r.l. : 289-292, 2006.
- 125) Doi K, Kushizaki H, Sakura S, Nikai T, Saito Y : Evaluation of peripheral nerve function using current perception threshold in the herpes zoster patients and the development of post-herpetic neuralgia. The Pain Clinic 18 (4) : 345-349, 2006.
- 126) Muguruma T, Sakura S, Saito Y : Epidural lidocaine induces dose-dependent neurologic injury in rats. Anesthesia & Analgesia 103 : 876-881, 2006.
- 127) Doi K, Yamanaka M, Shono A, Fukuda N, Saito Y : Preoperative epidural fentanyl reduces postoperative pain after upper abdominal surgery. Journal of Anaesthesia 21 : 439-441, 2007.
- 128) Hara N, Yamada K, Shibata T, Osago H, Hashimoto T, Tsuchiya M : Elevation of cellular NAD levels by nicotinic acid and involvement of nicotinic acid phosphoribosyltransferase in human cells. Journal of biological chemistry 282 : 24574-24582, 2007.
- 129) Ishida R, Shido A, Kishimoto T, Sakura S, Saito Y : Prolonged cardiac arrest unveiled silent sick sinus syndrome during general and epidural anesthesia. Journal of Anesthesia 21 : 62-65, 2007.
- 130) Sakura S : Research on local anesthetic neurotoxicity using intrathecal and epidural rat models. J Anesth 21 : 533-534, 2007.
- 131) Hara T, Maruyama M, Hashimoto T, Matsuzaki K, Hashimoto M, Katakura M, Shido O : Effects of short-term food deprivation on sweating and shivering thresholds. Shimane J. Med. Sci 24 : 37-42, 2007.
- 132) Trevisani M, Siemens J, Materazzi S, Bautista DM, Nassini R, Campi B, Imamachi N, Andre E, Patacchini R, Cottrell GS, Gatti R, Basbaum AI, Bunnett NW, Julius D, Geppetti P : 4-Hydroxynonenal, an endogenous aldehyde, causes pain and neurogenic inflammation through activation of the irritant receptor TRPA1. Proc. Natl. Acad. Sci. USA 104 : 13519-24, 2007.
- 133) Nikai T, Basbaum AI, Ahn AH : Profound reduction of somatic and visceral pain in mice by intrathecal administration of the anti-migraine drug, sumatriptan. Pain 139 (3) : 533-540, 2008.
- 134) Doi K, Kushizaki H, Saito Y : Effect of high thoracic or cervical epidural analgesia with lidocaine on pulmonary. The Pain Clinic 19 (6) : 287-291, 2007.
- 135) Hara K, Sakura S, Nomura T, Saito Y : Ultrasound guided thoracic paravertebral block breast surgery. Anaesthesia 64 : 223-224, 2009.
- 136) Scherrer G, Imamachi N, Cao YQ, Contet C, Mennicken F, O'Donnell D, Kieffer BL, Basbaum AI : Dissociation of the opioid receptor mechanisms that control mechanical and heat pain. Cell 137 (6) : 1148-59. 2009.
- 137) Imamachi N, Park GH, Lee H, Anderson DJ, Simon MI, Basbaum AI, Han SK : TRPV1-expressing primary afferents generate behavioral responses to pruritogens via multiple mechanisms. Proc Natl Acad Sci USA 106 (27) : 11330-5. 2009.
- 138) Ota J, Sakura S, Hara K, Saito Y : Ultrasound-Guided Anterior Approach to Sciatic Nerve Block : A Comparison with the Posterior Approach. Anes Analg 108 (2) : 660-665,

2009.

- 139) Shido A, Doi K, Sakura S, Saito Y : Involvement of umbilical region by transverses abdominis plane block. *Regional Anaesthesia* 2009.
- 140) Bates E, Nikai T, Brennan K, Fu YH, Charles A, Basbaum A, Ptáček L, Ahn A : Sumatriptan alleviates nitroglycerin-induced mechanical and thermal allodynia in mice. *Cephalalgia* 30 (2) : 170-178, 2010.
- 141) Toyota K, Koshikawa K, Nomura T, Saito Y : Mid esophageal left ventricular short axis view monitoring using real-time 3-dimensional transesophageal echocardiography in OPCAB surgery. *Cardiovascular Anesthesia* 14 (1) : 19-23, 2010.
- 142) Sakura S, Hara K, Ota J : Ultrasound-guided peripheral nerve blocks for anterior cruciate ligament reconstruction : effect of obturator nerve block during and after surgery. *J Anesth* 24 : 411-417, 2010.
- 143) Shido A, Imamachi N, Doi K, Sakura S, Saito Y : Continuous local anesthetic infusion through ultrasound-guided rectus sheath catheters. *J Can Anesth* 57 : 1046-1047, 2010.
- 144) Doi K, Sakura S, Hara K : A modified posterior approach to lumbar plexus block using a transverse ultrasound image and an approach from the lateral border of the transducer. *Anesthesia and Intensive Care* 38 : 213-214, 2010.
- 145) Ishida R, Nikai T, Hashimoto T, Tsumori T, Saito Y : Intravenous Infusion of Remifentanyl Induces Transient Withdrawal Hyperalgesia Depending on Administration Duration in Rats. *Anesthesia & Analgesia* 114 (1) : 224-229, 2011.
- 146) Narai Y, Imamachi N, Saito Y : Gabapentin augments the antihyperalgesic effects of diclofenac sodium through spinal action in a rat postoperative pain model. *Anesthesia & Analgesia* 115 (1) : 189-193, 2012.
- 147) Ishida R, Nikai T, Saito Y : Immediate and Delayed Remifentanyl-Induced Hypersensitivity. To the Editor. *Anesthesia & Analgesia* 115 (4) : 977-979, 2012.
- 148) Deng L, Nikai T, Ishida R, Saito Y : Buprenorphine Prevents Remifentanyl-Enhanced Mechanical Allodynia in a Rat Inflammatory Pain Model. *Shimane J. Med. Sci.* 29 : 23-30, 2012.
- 149) Kirihaara Y, Takechi M, Kurosaki K, Kobayashi Y, Kurosaki T : Anesthetic effects of a Mixture of Medetomidine, midazolam and butorphanol in two strains of mice. *Exp. Anim* 62 (3) : 173-180, 2013.
- 150) Hara K, Sakura S, Yokokawa N : The role of electrical stimulation in ultrasound-guided subgluteal sciatic nerve block : a retrospective study on how response pattern and minimal evoked current affect the resultant blockade. *J Anesth* 28 : 524-531, 2014.
- 151) Takeuchi R, Hoshijima H, Doi K, Nagasaka H : The use of sugammadex in a patient with Kennedy's disease under general anesthesia. *Saudi Journal of Anaesthesia* 8 (3) : 418-420, 2014.
- 152) Yamamoto H, Sakura S, Wada M, Shido A : A Prospective, Randomized Comparison Between Single- and Multiple-Injection Techniques for Ultrasound-Guided Subgluteal Sciatic Nerve Block. *Regional Anesthesia* 119 (6) : 1442-1448, 2014.
- 153) Oda T, Yamaguchi A, Yokoyama M, Shimizu K, Toyota K, Nikai T, Matsumoto K : Plasma proteomic changes during hypothermic and normothermic cardiopulmonary

bypass in aortic surgeries. *Int J Mol Med* 34 (4) : 947-956, 2014.

- 154) Kirihara Y, Takechi M, Kurosaki K, Kobayashi Y, Saito Y, Takeuchi T : Anesthetic effects of a three-drugs mixture -comparison of administrative routes and antagonistic effects of atipamezole in mice-. *Exp Anim.* 64 (1) : 39-47, 2015.
- 155) Nakatani T, Miyamoto T, Hashimoto T, Saito Y : Retention of finger blood flow against postural change has the potential to become a new Indicator of sympathetic block in the upper limb - a preliminary study. *Int J Anesthetic Anesthesiol* 2 (2), 2015.
- 156) Oda T, Yamaguchi A, Yokoyama M, Shimizu K, Nikai T, Matsumoto K : Does the rewarmed heart restore the myocardial proteome to that of the pre-cooled state? –A proteomic analysis of surgical samples. *Circulation Journal* 79 (12) : 2648-58, 2015.
- 157) Sutou I, Nakatani T, Hashimoto T, Saito Y : Fentanyl tolerance in the treatment of cancer pain : a case of successful opioid switching from fentanyl to oxycodone at a reduced equivalent dose. *J Pain Palliat Care Pharmacother.* 29 (2) : 161-165, 2015.
- 158) Miyamoto T, Nakatani T, Hashimoto T, Saito Y : Spinal epidural hematoma associated with bolus injection during patient-controlled epidural analgesia. *JSM Clin Case Rep* 3 (1) : 1076, 2015.
- 159) Sakakihara M, Imamachi N, Saito Y : Effects of Intrathecal K-Opioid Receptor Agonist on Morphine-Induced Itch and Antinociception in Mice. *Regional Anesthesia and Pain Medicine* 41 (1) : 69-74, 2016.
- 160) Yamamoto H, Shido A, Sakura S, Saito Y : Monitored anesthesia care based on ultrasound guided subcostal transversus abdominis plane block for continuous ambulatory peritoneal dialysis catheter surgery : case series. *Journal of Anesthesia* 30 : 156-160, 2016.
- 161) Kirihara Y, Takechi M, Kurosaki K, Kobayashi Y, Saito Y, Takeuchi T : Effects of an anesthetic mixture of medetomidine, midazolam, and butorphanol in rats—strain difference and antagonism by atipamezole. *Experimental Animals* 65 (1):27-36, 2016.
- 162) Miyamoto T, Nakatani T, Hashimoto T, Narai Y, Saito Y : A case of myelopathy where combined administration of pregabalin and tramadol hydrochloride / acetaminophen combination tablets was effective. *Shimane J. Med. Sci* 33 : 27-30, 2016.
- 163) Hashimoto T, Nakatani T, Sutou I, Saito Y : Efficacy of continuous brachial plexus block for intractable cancer pain in a terminal patient. *J Palliat Care Med* 6 (4), 2016.
- 164) Tadenuma S, Kanda H, Ishikura S, Kayabe K, Gotoh T, Nakamura Y, Kajii E : Salt Preference and the Incidence of Cardiovascular Disease in a Japanese General Population : The Jichi Medical School Cohort Study. *Health* 8 : 105-115, 2016.
- 165) Imamachi N, Saito Y : Species Variation in Effects of Intrathecal K-Opioid Receptor Agonist on Morphine-Induced Itch and Antinociception. *Regional Anesthesia and Pain Medicine* 41 (3) : 414-415, 2016.
- 166) Hirabayashi M, Doi K, Imamachi N, Kishimoto T, Saito Y : Prophylactic Pentazocine Reduces the Incidence of Pruritus After Cesarean Delivery Under Spinal Anesthesia with Opioids : A Prospective Randomized Clinical Trial. *Anesthesia & Analgesia* 124 (6) : 1930-1934, 2017.
- 167) Nakatani T, Hashimoto T, Sutou I, Saito Y : Retention of finger blood flow against

postural change as an indicator of successful sympathetic block in the upper limb. *Journal of Pain Research* 10 : 475-479, 2017.

- 168) Inoue S, Saito Y, Tsuneto S, Aruga E, Ide A, Kakurai Y : A randomized, double-blind study of hydromorphone hydrochloride extended-release tablets versus oxycodone hydrochloride extended-release tablets for cancer pain : efficacy and safety in Japanese cancer patients (EXHEAL : a Phase III study of Extended-release Hydromorphone for cancer pain relief). *Journal of Pain Research* 10 : 1953-1962, 2017.
- 169) Shono A, Somhorst P, Gommers D : Electrical impedance tomography and trans-pulmonary pressure measurements in a patient with extreme respiratory drive. *Respiratory Medicine Case Reports* 20 : 141-144, 2017.
- 170) Mori H, Shono A, Hirade R, Nikai T, Saito Y : Biphasic Cuirass Ventilation During Anesthesia for Tracheobronchial Stent Insertion or Removal by a Rigid Bronchoscope : A Case Report. *A & A Case Reports* 10 (8) : 198-200, 2018.
- 171) Imamachi N, Doi K, Watanabe Y, Saito Y : The Incidence of Chronic Postsurgical Pain After Inguinal Hernia Surgery : Association with the Acute Postsurgical Pain : A Preliminary Study Based on Questionnaires. *Shimane Journal of Medicine Science* 34 : 93-97, 2018.
- 172) Inoue S, Saito Y, Tsuneto S, Aruga E, Ogata T, Uemori M : A double-blind, randomized comparative study to investigate the morphine to hydromorphone conversion ratio in Japanese cancer patients. *JJCO* 48 (5) : 442-449, 2018.
- 173) Inoue S, Saito Y, Tsuneto S, Aruga E, Takahashi H, Uemori M : A randomized, double-blind, non-inferiority study of hydromorphone hydrochloride immediate-release tablets versus oxycodone hydrochloride immediate-release powder for cancer pain : efficacy and safety in Japanese cancer patients. *JJCO* 48 (6) : 542-547, 2018.
- 174) Oda T, Yamaguchi A, Ishida R, Nikai T, Shimizu K, Matsumoto K : Plasma proteomic changes during therapeutic hypothermia in resuscitated patients after cardiac arrest. *Experimental and Therapeutic Medicine* 18 : 1069-1080, 2019.
- 175) Kijima T, Hyakudomi R, Hashimoto T, Kusaka A, Nakatani T, Ishibashi Y : Adhesion-induced chronic abdominal pain : a case report on the diagnostic value of Carnetts test. *Journal of Medical Case Reports* 13 (93), 2019.
- 176) Ugata K, Imamachi N, Hashimoto A, Saito Y : Anesthetic Management in an Adult Patient with Coatello Syndrome : A Case Report. *A & A Practice* 13 (2) : 41-43, 2019.
- 177) Sakakibara S, Imamachi N, Sakakihara M, Katsube Y, Hattori M, Saito Y : Effects of an intrathecal TRPV1 antagonist, SB366791, on morphine-induced itch, body temperature, and antinociception in mice. *Journal of Pain Research* 12 : 2629-2636, 2019.
- 178) Yamamoto N, Sakura S, Noda T, Nishiyama A, Dan'ura T, Matsui Y, Ozaki T : Comparison of the postoperative analgesic efficacies of intravenous acetaminophen and fascia iliaca compartment block in hip fracture surgery : a randomised controlled trial. *Injury* 50 : 1689-1693, 2019.
- 179) Wittayapairoj A, Sakura S, Hirade R, Aoyama Y, Saito Y : The analgesic effects and sensory blockade between erector spinae plane block and paravertebral block after

breast surgery. *The Thai Journal of Anesthesiology* 45 : 156-163, 2019.

- 180) Shono A, Katayama N, Fujihara T, Bohm SH, Waldmann AD, Ugata K, Nikai T, Saito Y : Positive End-expiratory Pressure and Distribution of Ventilation in Pneumoperitoneum Combined with Steep Trendelenburg Position. *Anesthesiology* 132 (3) : 476-490, 2020.
- 181) Kirihaara Y, Takechi M, Kurosaki K, Matsuo H, Kajitani N, Saito Y : Effect of an anesthetic mixture of medetomidine, midazolam, and butorphanol and antagonism by atipamezole in rabbits. *Experimental Animals* 68 (4) : 443-452, 2019.
- 182) Saito Y, Yokota T, Arai M, Tada Y, Sumitani M : Naldemedine in Japanese patients with opioid-induced constipation and chronic noncancer pain : open-label Phase III studies. *Journal of Pain Research* 12 : 127-138, 2019.
- 183) Ishida R, Ueda K, Kitano T, Yamamoto T, Mizutani Y, Tsutsumi Y, Imoto K, Yamamori Y : Case Report Fatal community-acquired *Bacillus Cereus* pneumonia in an immunocompetent adult man : a case report. *BMC Infectious Diseases* 19 : 197, 2019.
- 184) Safety Committee of Japanese Society of Anesthesiologists working group : Nishikawa K, Oda Y, Doi K, Sakai N, Sobue K : Practical guide for the management of systemic toxicity caused by local anesthetics. *J Anesth* 33 : 1-8, 2019.
- 185) Aoyama Y, Sakura S, Abe S, Wada M, Saito Y : Analgesic effects and distribution of cutaneous sensory blockade of quadratus lumborum block type 2 and posterior transversus abdominis plane block : An observational comparative study. *Korean Journal of Anesthesiology* 73 (4) : 326-333, 2020.
- 187) Shio H, Sakura S, Motooka A, Sakai Y, Saito Y : Severe and persistent nerve palsy after ultrasound-guided continuous interscalene brachial plexus block in a teenager undergoing shoulder surgery : a case report. *JA Clinical Reports* 6 (1) : 15, 2020.
- 188) Aoyama Y, Sakura S, Abe S, Tadenuma S, Saito Y : Continuous transmuscular quadratus lumborum block and femoral nerve block for total hip arthroplasty : a randomized controlled study. *Journal of Anesthesia* 34 : 413-420, 2020.
- 189) Aoyama Y, Sakura S, Wittayapairoj A, Abe S, Tadenuma S, Saito Y : Continuous basal infusion versus programmed intermittent bolus for quadratus lumborum block after laparoscopic colorectal surgery : a randomized-controlled, double-blind study. *Journal of Anesthesia* 34 : 642-649, 2020.
- 190) Horie Y, Yokoi N, Abe S, Imamachi N, Saito Y : Anesthetic management in a child patient with carnitine palmitoyltransferase II deficiency : a case report. *Shimane Journal of Medical Science* 37 : 61-65, 2020.
- 191) Termpornlert S, Sakura S, Aoyama Y, Wittayapairoj A, Kishimoto K, Saito Y : Distribution of injectate administered through a catheter inserted by three different approaches to ultrasound-guided thoracic paravertebral block : a prospective observational study. *Reg Anesth Pain Med* 45 : 866-871, 2020.
- 192) Aoyama Y, Sakura S, Tsuchiya R, Wittayapairoj A, Saito Y : Erector spinae plane block and paravertebral block for breast Surgery : A retrospective Propensity-matched noninferiority trial. *Journal of Pain Research* 13 : 2367-2376, 2020.
- 193) Nagano T, Sakura S, Imamachi N, Saito Y : Ultrasound-assisted intrathecal injection of

nusinersen in a patient with severe vertebral deformity : a case report. *JA Clinical Reports* 6 : 61, 2020.

- 194) Kotaka M, Saito Y, Kato T, Satake H, Makiyama A, Tsuji Y, Shinozaki K, Fujiwara T, Mizushima T, Harihara Y, Nagata N, Kurihara N, Ando M, Kusakawa G, Sakai T, Uchida Y, Yakamoto M, Kimoto S, Hyodo I : A placebo-controlled, double-blind, randomized study of recombinant thrombomodulin (ART-123) to prevent oxaliplatin-induced peripheral neuropathy. *Cancer Chemotherapy and Pharmacology*. Published online : 23, 2020.
- 195) Okamoto T, Kawamoto E, Usuda H, Tanaka T, Nikai T, Asanuma K, Suzuki K, Shimaoka M, Wada K : Recombinant Human Soluble Thrombomodulin Suppresses Monocyte Adhesion by Reducing Lipopolysaccharide-Induced Endothelial Cellular Stiffening. *Cells* 9 (8) : 1811, 2020.
- 196) Shen H, Gardner AM, Vyas J, Ishida R, Tawfik VL : Modeling complex orthopedic trauma in rodents : bone, muscle and nerve injury and healing. *Frontiers in Pharmacology* 11 : 1-10, 2021.
- 197) Aoyama Y, Sakura S, Kitajo A, Saito Y : Incidence and effects of postoperative migration of interscalene catheter tips placed using ultrasound-guided anterior and posterior approaches. *Journal of Anesthesia* 35 : 175-183, 2021.
- 198) Yawata S, Imamachi N, Sakura S, Yamamoto H, Saito Y : Local anesthetic systemic toxicity of levobupivacaine in erector spinae plane block . *Korean Journal of Anesthesiology* 74 (3) : 271-272, 2021.
- 199) Aoyama Y, Sakura S, Abe S, Uchimura E, Saito Y : Effects of the addition of dexamethasone on postoperative analgesia after anterior cruciate ligament reconstruction surgery under quadruple nerve blocks. *BMC Anesthesiology* 21 : 218, 2021.
- 200) Aoyama Y, Sakura S, Gunji K : Self-coiling catheter for continuous interscalene block. *Journal of Anesthesia* 35 : 939-940, 2021.
- 201) Sakura S, Termpornlert S, Aoyama Y : Reply to Dr Wardhan et al : paravertebral catheter study leaves questions. *Reg Anesth Pain Med* 46 (10) : 932, 2021.
- 202) Toyota K, Seino Y, Idei M, Nomura T : Effects of Two Types of Prosthetic valves For Transcatheter Aortic Value Implantation On Intraoperative Left Ventricular End-diastolic Pressure. *TWMUJ* 5 : 103-110, 2021.
- 203) Sutou I, Nakatani T, Hashimoto T, Saito Y : Three Cases of Neuropathic Pain With Effective Pain Relief After Switching From Hydromorphone to Oxycodone. *Shimane J. Med. Sci.* 38 : 99-105, 2021.
- 204) Doi K, Ueda Y, Imamachi N : Use of EMLA cream for skin anesthesia and epidural insertion in the patients with cesarean delivery : A prospective double-blind randomized clinical trial. *Saudi Journal of Anesthesia* 16 (2) : 145-149, 2022.
- 205) Youngwon K, Hansu B, Seokha Y, Sun-Kyung P, Young-Jin L, Sakura S, Jin-Tae K : Effect of remifentanyl on post-operative analgesic consumption in patients undergoing shoulder arthroplasty after interscalene brachial plexus block : a randomized controlled trial. *Journal of Anesthesia* 36 : 506-513, 2022.

- 206) Mori H, Hashimoto T, Nikai T, Furuya M, Hattori M, Katsube Y, Saito Y: Long-term exposure to morphine induces cross-tolerance to acute antinociceptive effect of remifentanyl on somatic and visceral stimuli in rats. *Journal of Pain Research* 15: 4047–4054, 2022
- 207) Hashimoto T, Mishima H, Sakai C, Koretaka Y, Saito Y: An exploratory study of factors associated with long-term, high-dose opioid prescription in cancer patients in Japan based on a medical claims database. *Supportive Care in Cancer* 30(8): 6879-6888, 2022.
- 208) Nakatani T, Shiosakai K, Hashimoto T, Shionoya M, Akasaka T, Toyama K, Ishizuka H, Saito Y: Steady-State Pharmacokinetics of Intravenous Hydromorphone in Japanese Patients with Renal Impairment and Cancer Pain. *Journal of Palliative Medicine*, 2022, Online ahead of print.